

Mirra 2 Chair

MANUFACTURED BY

Herman Miller

has undergone extensive testing for the ergonomics, structural and safety requirements of the appropriate British and European standards and FIRA International specifications.

In addition to fully satisfying these standards,
has exhibited excellent ergonomics features.

WE ARE PLEASED TO PRESENT THE
**FIRA ERGONOMICS
EXCELLENCE AWARD**
FOR OFFICE CHAIRS



SIGNED FOR AND ON BEHALF OF
ERGONOMICS UNIT - FIRA INTERNATIONAL LTD

LEVENT CA GLAR
SENIOR ER GONOMIS T

14/08/2025

*This certificate is valid for three years from the above date

TERMS AND CONDITIONS FOR TEST CERTIFICATES

1. This certificate relates to test reports and evaluations of samples of the product(s) defined overleaf and no others. Samples were provided by others unless indicated in the report.
2. This certificate and the associated test report, are only valid in their original forms and only when issued by FIRA International Limited.
3. This certificate and also those apply to associated test reports are subject to Terms and Conditions for Testing and Consultancy Services of FIRA International Limited.
4. Further information on the product test methods, specifications used, test results and evaluation are given in the test reports which are an integral part of the certificate.
5. Any changes in materials, processes or design, will invalidate this certificate and will require samples to be resubmitted for test.
6. Any wording used to promote products as a result of this certificate must be submitted to FIRA International Limited for approval, giving sufficient time to allow for clearance in writing.
7. It should be understood that tests intended to demonstrate the ability of the item to perform satisfactorily in its intended environment do not ensure that failure will not eventually occur as a result of habitual misuse or after a long period of service.
8. This certificate does not represent a guarantee of compliance with the General Product Safety Regulations or other legislative requirements.